

bayonet instruments



**new and custom patterns available
for optimized visibility during surgery!**

gSource®

2 - realistic price

WL = Working Length

gS 12.1750 8 1/4"

Scalpel Handle

bayonet
knurled handle, 3 3/4" WL



gS 12.1760 10"

Landolt Scalpel Handle

bayonet
knurled handle, 5 1/2" WL



TC = tungsten carbide

gS 12.1800 12"

Scalpel Handle

bayonet
knurled handle, 6 3/4" WL



gS 19.2840 7 1/4"

gS 19.2855 7 1/4" TC

Cushing Bayonet Dressing Forceps


serrated



Black aluminum offset handle is designed to provide increased field visualization while providing greater precision and control during microdissection surgery. Rounded corners and flat sides allow for easy rotation with control, stable power, and leverage to help reduce unwanted torque.

Each instrument is marked on front of handle for easy identification.

See side view picture of gS 33.4103 on right for tip orientation.




gS 33.4101	gS 33.4111	gS 33.4121	gS 33.4131	#0
gS 33.4102	gS 33.4112	gS 33.4122	gS 33.4132	#00
gS 33.4103	gS 33.4113	gS 33.4123	gS 33.4133	#000
gS 33.4104	gS 33.4114	gS 33.4124	gS 33.4134	#0000
gS 33.4105	gS 33.4115	gS 33.4125	gS 33.4135	cortical bone cutter



gS 33.4103
top view side view
for tip orientation

Micro Dissection Cervical Curettes

8 1/2", offset black aluminum handle



- gS 33.4136** Micro nerve hook, 1.8mm
- gS 33.4137** Ultra micro nerve hook, 1.5mm
- gS 33.4139** Bone waxer, 2.0mm

Micro Dissection Cervical Instruments

8 1/2", offset black aluminum handle



gS 33.4136 top view side view
gS 33.4137 top view side view
gS 33.4139 top view side view

4 - satisfaction guaranteed

Black aluminum offset handle is designed to provide increased field visualization while providing greater precision and control during microdissection surgery. Rounded corners and flat sides allow for easy rotation with control, stable power, and leverage to help reduce unwanted torque.

Each instrument is marked on front of handle for easy identification.


See side view picture of gS 33.4202 on right for tip orientation.

forward straight (FS)	forward angled (FA)	forward down (FD)	backward straight (BS)	backward angled (BA)	backward down (BD)	#0	#1	#2
gS 33.4200	gS 33.4210	gS 33.4220	gS 33.4230	gS 33.4240	gS 33.4250	cup size #0		
gS 33.4201	gS 33.4211	gS 33.4221	gS 33.4231	gS 33.4241	gS 33.4251	cup size #1		
gS 33.4202	gS 33.4212	gS 33.4222	gS 33.4232	gS 33.4242	gS 33.4252	cup size #2		



Micro Discectomy Lumbar Curettes

9 1/2", offset black aluminum handle




- gS 33.4253 Penfield dissector #1, 6mm slightly curved
- gS 33.4254 Penfield dissector #2, 6mm curved
- gS 33.4255 Nerve hook, 1.3mm
- gS 33.4256 Penfield dissector, #4, 3mm slightly curved
- gS 33.4257 Bone waxer, 2.8mm
- gS 33.4258 Spine probe, 3.8mm

Micro Discectomy Lumbar Instruments

9 1/2", offset black aluminum handle




adaptability/flexibility - 5



gS 40.3500 11"

Spreader

bayoneted blades with teeth
speedlock



gS 51.5094 4mm
gS 51.5095 5mm
gS 51.5096 6mm

Kraemer Bayonet Ring Curette
10", straight



WL = Working Length


Handle is knurled on front side
and flat on back side.



- gS 51.5003** 3mm angled up
- gS 51.5005** 5mm angled up
- gS 51.5013** 3mm angled down
- gS 51.5015** 5mm angled down
- gS 51.5023** 3mm 45° right
- gS 51.5025** 5mm 45° right
- gS 51.5033** 3mm 90° left
- gS 51.5035** 5mm 90° left
- gS 51.5045** 5mm curved right
- gS 51.5055** 5mm curved left


Hardy Bayonet Curette

9 1/2"
knurled handle, 4 3/4" WL



gS 51.5005 angled up **gS 51.5015** angled down **gS 51.5025** 45° right **gS 51.5035** 90° left **gS 51.5045** curved right

6 - verified quality




Half round blade
with fine serrations.

gS 62.7500 9 1/2"

Bone File

15mm x 85mm fine serrated
bayonet handle





gS 65.3620 left
gS 65.3630 right

Joseph Bone Saw

7", bayonet




WL = Working Length



gS 70.5841 1mm forward
gS 70.5842 2mm forward with bone ejector
gS 70.5843 3mm forward with bone ejector
gS 70.5844 4mm forward with bone ejector
gS 70.5845 5mm forward with bone ejector
gS 70.5846 6mm forward with bone ejector

Spurling Kerrison Bayonet Punch

8", 120mm WL
Ferris-Smith-Kerrison handle
regular foot plate





- Custom options available upon request.
- Double fenestrated cup can be customized to your specifications.
- Straight, up or down jaw bite styles provide precise cutting action.
- Jaws can be serrated or non-serrated.

The bayonet style shaft is designed to provide optimized visibility during surgical procedures.

Custom Bayonet Spinal Rongeur

double fenestrated cup, serrated jaws



- Custom options available upon request.
- Titanium nitride (TiN) coating on shaft instruments can be used to harden and protect the cutting and sliding surfaces.
- Available in black, gold, bronze or similar.
- Non-fading colors withstand repeated autoclaving.

The bayonet style shaft is designed to provide optimized visibility during surgical procedures.

Custom Bayonet Punch

titanium nitride coated

gSource

gSource is committed to putting the finest instruments into the hands of surgeons and their teams.

Not all instruments are created equal. Adequate for the job is, in reality, inadequate. A better instrument reduces distractions and facilitates operations. A better instrument helps a surgeon perform at his/her best. A better instrument leads to better results. gSource provides better instruments.

Orthopedic Focus

We are more than a source for quality instrumentation. gSource is an advocate for the orthopedic community. We can be relied upon to provide superior instrumentation for spinal and orthopedic procedures, and do so in a time critical fashion.

gSource Instrument Attributes

Whether crafted from German surgical stainless steel, or machined from U.S. surgical stainless steel, our instruments are recognized by their finely finished surface. They are designed to perform with precise surgical function and are also conceived to be affordable. It is this combination that distinguishes the gSource brand.

gSource Verified Quality

Every gSource instrument must pass detailed Quality Assurance tests before it can be sold. Instruments are tested for quality of material, workmanship, function, pattern consistency and critical dimensions.

Instrument resource

The gSource catalog contains 3,500 instruments primarily used in orthopedic and spinal procedures. To view our catalog or for a quick answer on availability of other patterns, refer to our website at www.apiarymedical.com. Please inquire about the availability of any instrument not shown in the catalog.

Custom Instrumentation

We will create entirely new instruments in a timely and economical manner. For an accurate quotation and delivery schedule, send us a drawing, sketch or sample.

Service First

Your inquiries will be answered quickly and accurately by knowledgeable professionals.



ISO 13485: 2003 Certified
FS 589741
FDA Registered

Trusted Supplier to World Leaders

Many world leaders and innovators in orthopedics and spine have found in gSource a trusted and reliable partner. We provide superior instrumentation in a time-critical fashion and at realistic prices.

Guarantee

All standard instruments are guaranteed for life against manufacturing defects of material and workmanship. Any instrument proving to be defective will be replaced or the purchase price refunded.

- Tungsten carbide inserts are guaranteed for three years. Replaceable parts, other than springs, are guaranteed for one year. Replaceable springs are guaranteed for life against manufacturing defects of material and workmanship.
- This guarantee is void if instruments are altered or not maintained or repaired properly or if they are not used for their intended surgical purpose.
- Any unused instrument may be returned for full credit within 90 days of invoice date.

gSource Advantages

- On-time delivery
- Realistic price
- Verified quality
- German craftsmanship
- Precise U.S. machining
- Orthopedic and spinal focus
- Product development support
- Large selection and inventory
- Adaptability/flexibility
- Superior customer service
- Full satisfaction guarantee

Available from your gSource Distributor:

Apiary Medical, Inc.

12711 Big Bend Way
Valley Center, CA 92082

P 800.561.6692

F 800.561.2160

E cserv@apiarymedical.com

www.apiarymedical.com

Apiarymedical